



Product Catalog







SiteScapes Site Furnishings

SiteScapes is a manufacturer dedicated to providing a comprehensive line of durable, steel site furnishings. SiteScapes products offer unlimited design flexibility for design and landscape professionals, while providing quick and easy installation for contractors, maintenance crews, or municipal personnel. Products include benches, trash receptacles, planters, bike racks, tables, tree grates and guards and more.

CityView Projects Include:

Alliance Town Center - Fort worth, TX
 Bridgestreet Town Center - Huntsville, AL
 Cal State University LA - Los Angeles, CA
 City of Chattanooga - Chattanooga, TN
 City of Peoria - Peoria, IL
 City of Rockwall - Rockwall, TX
 City of Savannah - Savannah, GA
 City of Seattle - Seattle, WA
 City of Tybee Island - Tybee Island, GA
 Many, Many More

Creighton University - Omaha, NE
 East Tennessee State - Johnson City, TN
 Georgia State University - Atlanta, GA
 Med Center of the Rockies - Loveland, CO
 Metro Community College - Omaha, NE
 Providence Market Place - Mount Juliet, TN
 Trumbull Park - Chicago, IL
 University of Maryland-Baltimore
 Wilderness Hills - Lincoln, NE

SiteScapes Site Furnishings Commercial Grade Site Amenities

| | |
|----------------------------|------|
| CityView Seating | 3-4 |
| CityView Receptacles | 5-6 |
| CityView Tables | 7 |
| CityView Ash Urns | 8 |
| CityView Planters | 8 |
| WestPort Seating | 9-10 |
| WestPort Receptacles | 11 |
| Cambridge Receptacles | 12 |
| TallGrass Seating | 13 |
| Banning Seating | 14 |
| Avondale Seating | 15 |
| Avondale Plastic Option | 16 |
| Avondale Receptacles | 17 |
| Halo Receptacles | 18 |
| JordanCreek Seating | 19 |
| JordanCreek Receptacles | 20 |
| Meridian Seating | 21 |
| Meridian Receptacles | 22 |
| Echo Bike Parking | 23 |
| Apex Bike Parking | 24 |
| Bike Post Bollards | 24 |
| Terra Firma Tree Grates | 25 |
| Warranty | 26 |
| Finishes | 26 |
| Sustainability Information | 26 |

Pictured

CityView steel bar end bench CV1-1000 (Pearl) and CityView 36 gallon, side door, dome top receptacle CV2-2101 (Pearl).

© SiteScapes Inc. All Rights Reserved.
 Printed in USA.





CityView Vertical Strap Seating

CityView Seating

A popular vertical strap design, the CityView bench is suited for many urban seating solutions. Delivered as a fully assembled, rigid welded unit, this bench bolts directly to a concrete pad for permanent installation and is virtually vandal resistant. In addition to requiring no assembly, this bench remains maintenance free.

Seating Materials

Seat straps - 5/16" x 1 1/2" steel flat bar
Support pipe - 1" dia. schedule 40 steel tubing
End units - 1" square solid steel bar
Foot plates - 5/16" x 1 1/2" stainless steel


Choices

Choose six or eight foot length; backed, arched back or backless bench; steel bar ends, cast iron ends, steel radius loop ends, or steel bar ends no armrests; zero or one center armrest; powdercoat or Duracoat finish; and color.


Pictured this page

top left: CityView eight foot length backless bench CV1-2100 (Bronze). top right: CityView backed bench, cast iron ends CV1-1010 (Onyx). bottom right: CityView backed bench, steel bar ends CV1-1000 (Onyx)

To Specify CityView Benches



CityView seating options







CityView Vertical Strap Receptacles

CityView Receptacles

The CityView receptacles are durable trash containers with style. These receptacles bring a balance to any urban setting while providing capacity for essential everyday refuse concerns. A spun steel lid provides added durability and stability. Every receptacle comes with a 32, 36 or 40 gallon rigid plastic liner with handles.

Materials

Vertical straps – 5/16" x 1 1/2" steel flat bar
 Outside support strap - 1/4" x 2" steel flat bar
 Top ring - 5/8" dia. solid steel round bar
 Foot plates - 5/16" x 1 1/2" stainless steel
 Lid - 14 ga. spun steel lid
 Dome - 12 ga. spun steel dome
 Ash inlay - 13 ga. stainless steel ash pan
 Liner - High Density Polyethylene liner with handles

Choices

Choose 40 gallon, 36 gallon, or 32 gallon capacity; top opening, side door with latch or side door with key; surface, surface pedestal or embedded pedestal mount; flat, dome, ash or enclosed top; powdercoat or Duracoat finish; and color.

Pictured this page

left: CityView 36 gallon, side door with latch, dome top receptacle CV2-2101 (Custom).
 right: CityView 32 gallon, top opening, flat top receptacle CV2-3000 (Onyx)

To Specify CityView Receptacles

| CityView | Receptacles |
|----------|-------------------------------|
| CV | 1 - 40 Gallon |
| 2 | 2 - 36 Gallon |
| | 3 - 32 Gallon |
| | 0 - Top Opening |
| | 1 - Side Door w/ latch |
| | 2 - Side Door w/ lock |
| | 0 - Surface Mount |
| | 1 - Pedestal Mount - Surface |
| | 2 - Pedestal Mount - Embedded |
| | 0 - Flat Top |
| | 1 - Dome Top |
| | 2 - Ash Top |
| | 3 - Enclosed Top |
| | PF - Powder Coat Finish |
| | DF - DuraCoat Finish |

* Side Door and Pedestal mount receptacles available in 36 gallon capacity only.

* Side Door not available with pedestal mount.

CityView lid options



Flat Top



Dome Top



Ash Top



Enclosed Top



CityView Vertical Strap Tables

CityView Carousel Tables

A popular vertical strap design, the CityView collection is suited for many urban seating solutions. In addition to requiring only minimal assembly, these tables remain almost maintenance free.

Standard Table Options

The CityView tables are available with **round** or **square** table tops in sizes of:

- **36 in.**
- **48 in.**

Three Seat Option

CityView carousel tables are available in units with three seats to provide for ADA compliant access.

Standard Seating Options

The CityView carousel tables are available with either backed or backless seats.

Materials

Seat straps - 1/4" x 1 1/2" steel flat bar
 Seat support straps - 3/8" x 3" steel flat bar
 Solid Table top - 14 ga. spun stainless steel table top
 Center post - 4" sq. x 1/8" wall steel tubing
 Seat posts - 2 1/2" sq. x 1/8" wall steel tubing

Pictured this page

left: CityView 48 inch, round, backed seat, carousel tables CV6-3120 (Onyx). top right: CityView 48 inch, square, ribbon style, backed seat, carousel tables CV6-3321 (Onyx). bottom right: CityView 48 inch, round, backed seat, carousel table with umbrella CV6-3120 (Brandy).

To Specify CityView Tables

| CityView | |
|-------------------------|--|
| Tables | |
| 1 - 36 in. | |
| 3 - 48 in. | |
| 4 - 72 x 30 in. | |
| 1 - Round | |
| 2 - Square | |
| 3 - Ribbon Style | |
| 0 - No Seats | |
| 1 - 3 Backed Seats | |
| 2 - 4 Backed Seats | |
| 3 - 3 Flat Seats | |
| 4 - 4 Flat Seats | |
| 0 - Freestanding Mount | |
| 1 - Surface Mount | |
| 2 - Embedded Mount | |
| PF - Powder Coat Finish | |
| DF - DuraCoat Finish | |

CV 6



CityView Vertical Strap Ash Urns

CityView Ash Urns

These stand alone ash urns can be utilized in multiple environments and complete the CityView collection. These flair top urns include a stainless steel ash pan for cigarette collection and keep trash containers ash free. This product will surface mount to any concrete pad and has a removable ash tray for easy cleaning.

Materials

1/4" straps for maximum durability
Removable stainless steel 8" o.d. ash pan for ash collection

CityView Ash Urns are currently offered in only one style. CV3-1000 to specify.



CityView Vertical Strap Planters

CityView Planters

Planters provide color and life to otherwise inorganic settings. Twenty-two gallon liners provide potting volume suitable for a large variety of plantings.

Materials

5/16" straps for maximum durability

CityView Planters are currently offered in only one style. CV4-1000 to specify.

Pictured this page

top: CityView vertical strap ash urn CV3-1000 (Onyx). bottom: CityView vertical strap planter CV4-1000 (Forest)





WestPort Horizontal Strap Seating

WestPort Seating

The WestPort utilizes horizontal seat straps. Each 1/4" seat strap is supported by a series of braces holding each strap firmly in place. Such engineering provides a durable and aesthetically pleasing product in all aspects.

Seating Materials

Seat straps - 1/4" x 1 1/2" steel flat bar
Support pipe - 1" dia. schedule 40 steel tubing
End units - 1" square solid steel bar
Foot plates - 5/16" x 1 1/2" stainless steel


Choices

Choose six or eight foot length; backed or backless; steel bar ends, cast iron ends, steel radius loop ends, or steel bar ends no armrests; zero or one center armrest; powdercoat or Duracoat finish; and color.


Pictured this page

top left: WestPort backed bench, steel bar ends WP1-1000 (Brandy). top right: WestPort backed benches, cast iron ends WP1-1010 (Onyx). bottom right: WestPort backless bench, cast iron ends WP1-1110 (Onyx).

To Specify WestPort Benches



WestPort seating options





WestPort Horizontal Strap Receptacles

WestPort Receptacles

Surrounded by a durable 1" solid square bar framework this receptacle makes use of horizontal steel straps. With a side entry door, this receptacle allows for easy litter removal while containing a keyed lock for security. Each receptacle comes with a 36 gallon rigid plastic liner and the option of flat lid, domed lid or domed lid with ash tray inlay.

Materials

Horizontal straps - 1/4" x 1" steel flat bar
Support Strap - 5/16" x 3/4" steel flat bar
Top Support - 1" dia. schedule 40 steel tubing
Bottom Support Bars - 5/16" x 3/4" steel flat bar
Side Supports Bars - 1" sq. steel flat bar
Lid - .083 wall steel lid
Surface Mount Plates - 5/16" x 1 1/2" stainless steel
Liner - High Density Polyethylene liner with handles


Choices

Choose top opening or side door with lock; flat, dome or ash top; powdercoat or Duracoat finish; and color.

Pictured this page

top left: WestPort side door with lock, ash top receptacle WP2-2202 (Slate). top right: WestPort top opening, flat top receptacle WP2-2000 (Silver). bottom right: WestPort side door with lock, ash top receptacle WP2-2202 (Slate).

To Specify WestPort Receptacles



WestPort lid options



Flat Top

Dome Top

Ash Top



Cambridge Space Efficient Receptacles

Cambridge Receptacles

This space efficient receptacle embodies style and elegance, while maintaining a durable steel shell. The compact dimensions of this product allow it to co-exist in settings where space is of the essence, yet sustain a liberal 20 gallon waste capacity. The Cambridge comes with a rigid plastic liner and steel anchoring plates where security is needed. Additional options include a stainless steel ash inlay and adjustable leveling feet.

Materials

7 Guage Steel Shell
Removable Dome Lid
20 gallon rigid plastic liner


Choices

Choose dome top or ash top; stainless steel, powdercoat or Duracoat finish; and color.

Pictured this page

left: Cambridge stainless steel, ash top receptacle CM2-1002 (Stainless). right: Cambridge ash top receptacle CM2-1002 (Brandy).

To Specify Cambridge Receptacles



Cambridge options



Dome Top



Ash Top



TallGrass TallGrass Pattern Seating

TallGrass Seating

A variation of the JordanCreek, the TallGrass Collection utilizes a rigid square tubing framework while presenting an elegant silhouette accent. The TallGrass products accentuate their natural surroundings while blending into a variety of urban settings.

Options include stainless steel mounting plates for permanent mounting to a concrete pad or heavy duty stainless steel leveling feet suitable for indoor or outdoor use.

Materials

Frame - 1 1/2" Sq. x 11 Ga. Wall Steel Tubing

Panels - 7 Ga. Steel Sheet Metal

Foot Plates - 1/4" x 1 1/2" Stainless Steel with 9/16" Mounting Holes

Mounted w/ four 1/2" x 4-5" Stainless Steel Anchor Bolts (Customer Supplied)


Choices

Choose six or eight foot length; backed or backless bench; zero or one center armrest; powdercoat or Duracoat finish; and color.

Pictured this page

left: TallGrass backed TallGrass pattern bench TG1-1000 (Onyx). top right: TallGrass backed TallGrass pattern bench TG1-1000 (Onyx). bottom right: TallGrass backed TallGrass pattern bench TG1-1000 (Onyx).

To Specify TallGrass Benches



TallGrass seating options



Backed Bench



Backless Bench



Banning Banning Pattern Seating

Banning Benches

The Banning bench is constructed of a square tubing frame and contains decorative inset panels on the backrest and end units. The decorative panels are of a solid 7 gauge laser cut material and are reminiscent of a Frank Lloyd Wright influence. This product is available in an all steel construction or an incorporation of an IPE hardwood seat panel.

Options include stainless steel mounting plates for permanent mounting to a concrete pad or heavy duty stainless steel leveling feet suitable for indoor or outdoor use.

Materials

Frame - 1 1/2" Sq. x 11 Ga. Wall Steel Tubing

Panels - 7 Ga. Steel Sheet Metal

Foot Plates - 1/4" x 1 1/2" Stainless Steel with 9/16" Mounting Holes

Mounted w/ four 1/2" x 4-5" Stainless Steel Anchor Bolts (Customer Supplied)


Choices

Choose six or eight foot length; backed or backless bench; zero or one center armrest; powdercoat or Duracoat finish; and color.


Pictured this page

left: Banning backed Banning pattern bench with Ipe slats BN1-1000 (Onyx). top right: Banning backed Banning pattern bench with Ipe slats BN1-1000 (Onyx). bottom right: Banning backed Banning pattern bench with Ipe slats BN1-1000 (Onyx).

To Specify Banning Benches



Banning seating options





Avondale Wood Slat Seating

AvonDale Seating

Avondale Benches utilize Ipe hardwood seating. Ipe is a Brazilian hardwood that is considered a heavy timber and one of the most durable species available. This wood weathers to a smooth and attractive finish while remaining extremely resistant to decay and insects. In addition, Ipe carries a class A fire rating.

Materials:

Seat straps – 1" x 4" Ipe hardwood
1" solid square bar or decorative cast iron
No visible hardware on seating or back rest surfaces


Choices

Choose six or eight foot length; backed or backless; steel bar ends, cast iron ends, steel radius loop ends, or steel bar ends with no armrests; zero or one center armrest, powdercoat or Duracoat finish; and color.

Pictured this page

left: Avondale Ipe slat, cast iron end bench AV1-1010 (Onyx). top right: Avondale Ipe slat, backless, cast iron end bench AV1-1110 (Onyx). bottom right: Avondale custom spacing, Ipe slat, cast iron end bench AV1-1010-custom (Forest)

To Specify Avondale Benches



Avondale seating options



Steel Bar Ends

Cast Iron Ends

No Rests

Steel Loop Ends

Flat Steel Bar Ends

Flat Cast Iron Ends



Avondale Recycled Plastic Option

Recycled Plastic Slats

Additionally, recycled plastic serves as an option to the Avondale collection. Plastic lumber is generally manufactured from 25 percent to 100 percent by weight preconsumer and postconsumer plastics. By using materials that have been diverted from the waste stream (e.g. plastic, wood, rubber, etc.), recycled plastic lumber (RPL) conserves landfill space.

Benefits of Recycled Plastic Include:

- Rarely cracks or splinters.
- Resists rot, mildew and termites.
- Is weather and graffiti-resistant.
- Is unaffected by bacteria, worms, insects, fungi or rodents.
- No waterproofing, staining or regular maintenance required.
- Is long lasting, sometimes lasting more than 50 years.
- Is sold in a variety of standard dimensional sizes, colors and textures.

Colors shown are only a representation of standard colors offered and should not be used as a substitute for manufacturer provided color samples.

Colors available: Brown, Redwood, Cherry Wood, Rust Brown, Cedar, Lt. Oak, Weathered Wood, and Sand.



Pictured this page

left: Avondale recycled plastic, surface mount bench AV1-1020-RP (Onyx) and Avondale recycled plastic trash receptacle AV2-3000-RP (Onyx). top right: Avondale recycled plastic, cast iron end bench AV1-1010-RP (Onyx). bottom right: Avondale recycled plastic, cast iron end bench AV1-1010-RP (Onyx).



To Specify Recycled Plastic

Append "-RP" to Avondale product model number and choose plastic color. Example AV1-1000-PF-RP (Cherry Wood).



Avondale Wood/Recycled Plastic Receptacles

Avondale Receptacles

The Avondale receptacles are durable trash containers with style. Made of wood or recycled plastic. The recycled plastic lumber Avondale receptacle is constructed of sturdy 2" x 4" recycled plastic slats with steel interior framework. Avondale receptacles will promote a green, litter free environment. Lids are available in flat, domed top, or ash top options. Every receptacle comes with a 32 gallon rigid plastic liner with handles. Also available in Western Red Cedar.

Materials

2" x 4" Recycled Plastic or Wood Slats
Interior Support Ring - 7Ga. Steel
Mounting Plates - 1/4" x 1/ 1/2" Stainless Steel
Lid - 24" o.d. Spun Steel Lid
Liner - High Density Polyethylene


Choices

Choose surface, surface-pedestal or embedded pedestal mount; flat, dome, ash or enclosed top; powdercoat or Duracoat finish; and color.


Pictured this page

left: Avondale recycled plastic, flat top receptacle AV2-3000-RP (Onyx). right: Avondale recycled plastic, dome top receptacle AV2-3001-RP (Onyx).

To Specify Avondale Receptacles



Avondale lid options





Halo Decorative Ring Receptacles

Halo Receptacles

The Halo receptacle combines circular elements to capture multiple design dimensions. Featuring individual decorative rings, each receptacle is handcrafted to provide a classic appeal to any site.

Materials

Container – 7 ga. laser cut steel sheet
 Inside support bars – 1/4" x 1/2" steel flat bar
 Decorative rings – 4" o.d. x 3/8" wall steel rings
 Foot plates – 5/16" x 1 1/2" stainless steel
 Lid – 14 ga. spun steel lid
 Dome – 12 ga. spun steel dome
 Ash inlay – 13 ga. stainless steel ash pan
 Liner – High Density Polyethylene liner with handles

Choices

Choose 40 gallon, 36 gallon, or 32 gallon capacity; top opening, side door with latch or side door with lock; flat, dome, ash, or enclosed top; powdercoat or Duracoat finish; and color.

Pictured this page

left: Halo 40 gallon, top opening, flat top receptacle HL2-1000 (Onyx). top right: Halo 36 gallon, side door with latch, flat top receptacle HL2-2100 (custom color). bottom right: Halo 40 gallon, top opening, flat top receptacle HL2-1000 (Onyx).

To Specify Halo Receptacles

| Halo | Receptacles |
|------|-------------------------------|
| HL | 1 - 40 Gallon |
| 2 | 2 - 36 Gallon |
| | 0 - Top Opening |
| | 1 - Side Door w/ latch |
| | 2 - Side Door w/ Lock |
| | 0 - Surface Mount |
| | 1 - Pedestal Mount - Surface |
| | 2 - Pedestal Mount - Embedded |
| | 0 - Flat Top |
| | 1 - Dome Top |
| | 2 - Ash Top |
| | 3 - Enclosed Top |
| | PF - Powder Coat Finish |
| | DF - DuraCoat Finish |

* Side Door and Pedestal mount receptacles available in 36 gallon capacity only.

Halo lid options



Flat Top



Dome Top



Ash Top



Enclosed Top



JordanCreek Laser Cut Seating

JordanCreek Benches

By matching rigid square tubing with elegant laser cut curvature this bench meets both durability and aesthetic needs for any site. Bench patterns are laser-cut and can be customized to include neighborhood logos or simple graphics.

Materials

Frame - 1 1/2" Sq. x 11 Ga. Wall Steel Tubing

Panels - 7 Ga. Steel Sheet Metal

Foot Plates - 1/4" x 1 1/2" Stainless Steel with 9/16" Mounting Holes

Mounted w/ four 1/2" x 4-5" Stainless Steel Anchor Bolts (Customer Supplied)


Choices

Choose six or eight foot length; backed or backless; powdercoat or Duracoat finish; and color.


Pictured this page

left: JordanCreek backed bench JC1-1000 (Moca). top right: JordanCreek backed bench JC1-1000 (Silver) and JordanCreek planter JC4-1000 (Silver). bottom right: JordanCreek backless bench JC1-1100 (Onyx).

To Specify JordanCreek Benches



JordanCreek seating options



Backed Bench

Backless Bench



JordanCreek Laser Cut Receptacles

JordanCreek Receptacles

This receptacle is constructed of steel tubing and contains a decorative inset in each side panel that matches the rest of the collection. These decorative insets offer a variety of custom options and often are utilized to exhibit company names, school names or logos. Each receptacle arrives as a fully welded unit and contains a 36 gallon rigid plastic liner.

Materials:

Frame - 1 1/2" Sq. x 11 Ga. Wall Steel Tubing

Panels - 7 Ga. Steel Sheet Metal

Foot Plates - 1/4" x 1 1/2" Stainless Steel with 9/16" Mounting Holes


Choices

Choose flat, dome or ash top lid; powdercoat or Duracoat finish; and color.


Pictured this page


left: JordanCreek 36 gallon flat top receptacle JC2-2000 (Moca). right: JordanCreek 36 gallon ash top receptacle JC2-2002 (Silver).

To Specify JordanCreek Receptacles



JordanCreek lid options





Meridian Metal Rod Seating

Meridian Seating

The Meridian bench utilizes rigid horizontal metal rods to form its seating surface. Delivered as a fully assembled unit, this robust bench bolts directly to a concrete pad for permanent installation. In addition to requiring no assembly, this bench remains maintenance free.

Materials

- Metal Rods are 5/8" o.d. solid
- End units are 1" solid square bar
- Support Pipe - 1" dia. schedule 40 steel tubing


Choices

Choose six or eight foot length; backed or backless; steel bar ends, cast iron ends, steel radius loop ends, or steel bar ends with no armrests; zero or one center armrest; powdercoat or Duracoat finish; and color.

Pictured this page

left: Meridian backed bench, steel bar ends MR1-1000 (Onyx). right: Meridian backed bench, steel bar ends MR1-1000 (Onyx).

To Specify Meridian Benches



Meridian seating options



Steel Bar Ends



Cast Iron Ends



No Rests



Steel Loop Ends



Flat Steel Bar Ends



Flat Cast Iron Ends



Meridian Metal Rod Receptacles

Meridian Receptacles

Utilizing a rigid metal rod construction, these receptacles are as exquisite as they are sturdy. This receptacle's robust composition allows a combination of durable materials and smooth contours resulting in unique addition to any venue.

Materials

- Metal rods are solid 5/8" o.d. solid
- Heights of 35" or 40" (32 or 40 gallon respectively)
- Flat lids, domed lids, or ash top lids
- Top opening accessibility


Choices

Choose 40 or 32 gallon capacity; flat, dome, ash, or enclosed top; powdercoat or Duracoat finish; and color.

Pictured this page

left: Meridian 40 gallon, top opening, flat top lid receptacle MR2-1000 (Onyx). top right: Meridian 40 gallon, top opening, dome top lid receptacle MR2-1001 (Onyx). bottom right: Meridian 40 gallon, top opening, flat top lid receptacle MR2-1000 (Onyx).

To Specify Meridian Receptacles



* Side Door and Pedestal mount receptacles available in 36 gallon capacity only.

Meridian lid options



Flat Top



Dome Top



Ash Top



Enclosed Top



Echo Serpentine Style Bike Parking

Echo Bike Racks

These popular serpentine style racks are rugged and space efficient. Allowing for parking from both sides of the rack, the echo can be embedded mount or surface flange mount.

Materials

Tubing – 2 3/8" dia. schedule 40 steel tubing
Foot Plates – 7 1/2" dia. x 1/4" stainless steel

Choices

Choose five, seven, nine, eleven or thirteen capacity; embedded or surface mount; powdercoat, Duracoat, galvanized or stainless steel finish; and color.


Pictured this page

left: Echo seven space, surface mount bike rack EC2-07-SM (Brandy). top right: Echo thirteen space, surface mount bike rack EC2-13-SM-SF (Stainless). bottom right: Echo five space, embedded mount bike rack EC2-05-EM (Slate).

Echo bike parking options

Embedded Mount has both legs placed in core drilled holes 10" below surface grade. The holes are then filled with concrete to secure the bike rack

Surface Mount has a surface plate on both legs. When the bike rack is positioned it is secured with stainless steel anchor bolts. (customer supplied)



To Specify Echo Bike Parking

Echo Bike Parking

2 - 2inch Tubing

- 05 - 5 space rack
- 07 - 7 space rack
- 09 - 9 space rack
- 11 - 11 space rack
- 13 - 13 space rack

EM- Embedded Mount
SM - Surface Mount

PF - Powder Coat Finish
DF - DuraCoat Finish
GF - Galvanized Finish
SF - Stainless Steel Finish





Apex Single Loop Bike Parking

Apex Bike Racks

This "inverted U" style rack can be installed to form any configuration you desire. These racks are a durable, space saving solution for all of your bike security needs.

Materials

Tubing - 2 3/8" dia. schedule 40 steel tubing

Foot Plates - 7 1/2" dia. x 1/4" stainless steel

To Specify Apex Bike Parking

Apex Bike Parking

2 - 2inch Tubing

02 - 2 space rack

06 - 6 space rack

10 - 10 space rack

EM- Embedded Mount

SM - Surface Mount

PF - Powder Coat Finish

DF - DuraCoat Finish

GF - Galvanized Finish

SF - Stainless Steel Finish

AP 2 - [] - [] - [] - []

* Six and Ten space Apex offered in surface mount only.



Bike Post Bollard Style Bike Parking

Bike Posts

This space efficient product can serve the dual purpose of barrier and bicycle security. Various loop configurations are available. Bike Posts can be embed or surface mount.

Materials

Posts - 4 1/2inch O.D. Steel Tubing

Loops - 1" Steel Tubing

Surface Plate - 7 1/2" o.d. steel

To Specify Bike Posts

Bike Post Bollard

4 - 4inch Diameter

00 - Zero loops

01 - One loop

02 - Two loops

03 - Three loops

EM- Embedded Mount

SM - Surface Mount

PF - Powder Coat Finish

DF - DuraCoat Finish

BP 4 - [] - [] - [] - []



TerraFirma Starburst Pattern Tree Grates

TerraFirma Tree Grates

These ADA approved cast iron tree grates allow for trees to co-exist with pedestrians in a variety of settings. TerraFirma grates have a starburst pattern and are available in a multitude of sizes and three different shapes. A powder coat finish is available, or this product can be left uncoated for a natural weathered appearance.

Tree Grate Frame

Steel angle frames used to position and mount the tree grate are available.

Materials


Tree Grate – 3/4" cast iron grate

Frame – 1/4" steel angle

Tree Grates are available in starburst and concentric circle patterns.

Logos and Lettering

The TerraFirma tree grates can have custom lettering and logos inserted at an additional cost.




The round TerraFirma tree grates are available in sizes of:

- 36" dia. (TF8-1011)

- 48" dia. (TF8-1111)

- 60" dia. (TF8-1211)



The square TerraFirma tree grates are available in sizes of:

- 36" sq. (TF8-2011)


- 48" sq. (TF8-2111)

- 60" sq. (TF8-2211)

Pictured this page

left: Terra Firma 48 inch square tree grate TF8-2111 (Raw). top right: Terra Firma 48 inch square tree grate TF8-2111 (Raw). bottom right: Terra Firma 48 inch square tree grate TF8-2111 (Raw).

To Specify Terra Firma Tree Grates





Limited Warranties:

Limited twenty year warranty against structural failure of steel bench frames or steel bench assemblies, table frames, trash receptacle frames and planter frames. SiteScapes, Inc. liability and the buyer's remedy under these warranties are limited to the repair, replacement or refund of the purchase price, at SiteScapes option, of products determined in SiteScapes reasonable judgment to be defective in workmanship or materials. SiteScapes will not be held responsible for the costs incurred in labor to remove, install, or replace the alleged defective product. SiteScapes warranties do not cover any defects or failures resulting from vandalism, negligence, accidents, abuse, lack of maintenance, improper use or installation, or unapproved modifications and repairs. In addition, SiteScapes will not be held liable for ANY damage or injury as a result of product not that is not permanently anchored in place or not anchored properly.

Finishes:

SiteScapes, Inc. has a firm understanding that a quality powder coat finish is an essential ingredient to our site furnishings. That is why we offer two varieties of exterior rated, polyester, powder coat finishes for all of our products.

Powder Coat Finish: This protocol of cleansing, sealing, and coating is a 10 step process that provides each product with an extremely corrosion resistant polyester finish in your choice of color. This finish allows each product to remain impervious to rusting, fading, or cracking. The powder coat finish remains virtually maintenance free and is accompanied by a one year warranty.

Duracoat Finish: This finish incorporates all of the processes implemented in the powder coat finish including shot blast, phosphatizing, and pre-treatment. However, Duracoat finished product receives a zinc rich epoxy undercoat that is applied prior to the TGIC polyester top coat of color. This provides a corrosion resistant layer to seal all welded joints and surfaces. The end result is an extremely durable and abrasion resistant coating that is accompanied by a five year warranty.

Colors shown are only a representation of standard colors offered and should not be used as a substitute for manufacturer provided paint chips.

Colors available: Onxy (Black) Cobalt (Dark Blue) Forest (Green) Brandywine (Burgundy) Ivory (Ivory) Silver (Silver) Slate (Dark Gray) Bronze (Brown) Pearl (White)



Product Warranty Finishes & Sustainability

Sustainability

STEEL: SiteScapes, Inc. purchases its steel materials from steel mills that primarily utilize Electric Arc Furnace (EAF) technology. The EAF technology makes use of post-consumer scrap steel by melting it down for reuse in new steel materials.

SiteScapes, Inc. products are manufactured of primarily steel flat bar, steel solid square bar and steel sheet materials. As you can see from the below data, our mill vendors report excellent levels of recycled content in each of these materials allowing SiteScapes, Inc. to provide environmentally friendly steel products for use in "Green Building" applications or LEED programs.

Product Recycled Content

Steel Bar Products 99%

Steel Sheet Products 70%

DUCTILE CAST -Bench Ends: SiteScapes, Inc. ductile cast iron bench ends are poured with 60% post-consumer materials and 40% nodular pig iron. In addition, a small percentage of the make up of the nodular pig iron (iron ore, coke and limestone) is also post-consumer resources.

GRAY CAST - Tree Grates: All tree grate base materials are 100% post-consumer materials. These materials are derived from the melting of shredded auto bodies, scrap steel, used engine blocks etc. No pig iron is utilized in this production process.

WOOD: SiteScapes, Inc. purchases its wood materia ls from IBAMA (Brazilian Institute for the Environment and the Renewal of Natural Resources) registered mills. All wood is certified to provide the product origin and compliance with all legal log harvesting policies. In addition, these mills participate in "Fields to Forests" reforestation programs. As a result, a tropical tree is replanted in a certified plantation program for every 500 board feet of lumber supplied.

RECYCLED PLASTIC: High Density Polyethylene (HDPE) is the only product used as the raw material base in the production of these items. No other products such as, wood pulp, wood fiber, or fiberglass is used. 60% of all items used on our products derive from post consumer (recycled) or post industrial (scrap) materials.

Pictured this page

CityView steel bar end benches CV1-1000 (Onyx) and CityView 40 gallon, flat top receptacle CV2-1000 (Onyx).



P.O. Box 22326 Lincoln NE 68542
p. 888.331.9464 f. 402.421.9479
www.sitescapesonline.com
info@sitescapesonline.com

PRESORT
STANDARD
US POSTAGE
PAID
LINCOLN, NE
PERMIT 422



30% POST CONSUMER CONTENT